

# Sasma

Premium Alcohol Suppliers

**Safety Data Sheet**  
According to 1907/2006/EG, Article 31  
modification (EG) no. 453/2010

**Printing date: 28-12-2010**  
**Revision date: 01-06-2015**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identifier**

**Trade name: Ethyl Alcohol 95%vol.**

**REACH registration number: 01-2119457610-43**  
**Article number: P50087**  
**CAS nr.: 64-17-5**  
**EINECS nr.: 200-578-6**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
**Application of the substance/ the preparation: Diluents / Chemical industry**

### **1.3 Details of the supplier of the safety data sheet**

**Manufacturer /Supplier:**

SASMA B.V.  
Heliumstraat 8  
2718 SL Zoetermeer  
T. +31-(0)79-3633064  
@ sales@sasmabv.com  
W www.sasmabv.com

**Further information obtainable from: SASMA B.V.**

### **1.4 Emergency Telephone number:**

**USA and Canada:** For Chemical Emergency: Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
Within USA and Canada: **1-800-424-9300 CCN634134 or +1 703-527-3887** (collect calls accepted)  
**The Netherlands:** Phone: **030-274 88 88**, National Poisoning Centre  
(Only to inform doctors in case of accidental poisoning)

---

## **SECTION 2: Hazards identification**

### **2.1 Classification of the substance or mixture**

**Classification according to Regulation (EG) no. 1272/2008**



GHS02 flammable



GHS07

Flam. Liq. 2 H225 Highly flammable liquid and vapour.  
Eye Irrit. 2 H319 Causes serious eye irritation.

# Sasma

Premium Alcohol Suppliers

**Classification according to Directive 67/548/EEG or Directive 1999/45/EG**



R11: Highly flammable

**Information concerning particular hazards for human and environment:**

The product has to be labelled according to the calculation procedure of the “General Classification guideline for preparations of the EU”, in the latest valid version.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

## 2.2 Label elements

**Labelling according to Regulation (EG) no. 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS02



GHS07

**Signal word:**

Danger

**Hazard statements:**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.

**Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces – no smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion proof electrical/ventilation/lighting, ventilating equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P264 Wash hands, forearms, and exposed areas thoroughly after handling.  
P280 - Wear eye protection, protective gloves, protective clothing.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

# Sasma

Premium Alcohol Suppliers

P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P370+P378 - In case of fire: Use appropriate media to extinguish.

P403+ P235 Store in a well-ventilated area. Keep cool.

P501 Dispose of contents/container according to the local/ regional/ national/ international regulations.

## 2.3 Other hazards

No further relevant information available.




## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Inapplicable.

### 3.2 Mixtures

**Description:** Mixtures of substances listed below with non hazardous additions.

<b>Dangerous components</b>			
Ethanol	CAS: 64-17-5 EINECS: 200-578-6 Reg. nr.: 01-2119457610-43	94,8%vol.- 95,4%vol.	 F;R11 S 2-7-16  Flam. Liq. 2, H225  Eye Irrit. 2A, H319
Water	CAS: 7732-18-5 EINECS: 231-791-2	5,2%vol.- 4,6%vol.	Not classified

### **Additional information:**

For possible hazards please refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General:** Remove contaminated clothing immediately.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Rinse with plenty of water.

**After eye contact:** Rinse opened eye for several minutes under running water. Consult a physician if symptoms persist.

**After swallowing:** Rinse mouth with water and then drink a lot of water. DO NOT induce vomiting. In case of swallowing consult a physician immediately and show packaging or label.

**4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

## SECTION 5: Fire fighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with alcohol resistant foam.

# Sasma

Premium Alcohol Suppliers

## 5.2 Special hazards arising from the substance or mixture:

No further relevant information available.

## 5.3 Advice for fire fighters

**Protective equipment:** Keep containers/tanks cool with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Make sure the work area is well ventilated. Keep away from ignition sources. Do not smoke.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

### 6.4 Reference to other sections:

See Section 8 for information on personal protection equipment.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling:

Keep away from ignition sources – Do not smoke. Take measures for the discharge of static electricity. Only use explosion proof equipment.

**Information about fire- and explosion protection:** Remove each possible lighting source (open fire, sparks, smoking.)

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements for storage rooms and tanks:** No special requirements.

**Information about storage in a joint storage facility:** No special requirements.

**Further information about storage conditions:** Keep containers tightly closed. Store cool and dry in closed container.

**7.3 Specific end use(s):** Consult technical guidelines before using this product.

## SECTION 8: Exposure controls / personal protection

**Additional information about the design of technical facilities:** No further data; see section 7.

### 8.1 Control parameters

#### **Ingredients with values that require monitoring at the work place:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the work place.

#### **64-17-5 ethanol**

MAC	TGG 8H (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
MAC	TGG 15 min (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
OSHA PEL	(ppm) / (mg/m <sup>3</sup> )	1000 ppm / 1900 mg/m <sup>3</sup>
OSHA PEL	8 hour TWA (ppm)	1000 ppm
NIOSH REL	10 hour TWA (ppm)	1000 ppm
ACGIH 2015 TLV	8 hour TWA (ppm)	1000 ppm

The product does not contain any components for which MAC values are determined.

DNEL

Ethanol; ethyl alcohol : End use: Employees  
Exposure route: Inhalation

# Sasma

Premium Alcohol Suppliers

Possible health problems: Acute effects

Toxicity: Local effects

Value: 1900 mg/m<sup>3</sup>

End use: Employees

Exposure route: Skin contact

Possible health problems: Chronic effects

Exposure time: 1 d

Value: 343 mg/kg

End use: Employees

Exposure route: Inhalation

Possible health problems: Chronic effects

Value: 950 mg/m<sup>3</sup>

End use: Consumers

Exposure route: Inhalation

Possible health problems: Acute effects

Toxicity: Local effects

Value: 950 mg/m<sup>3</sup>

End use: Consumers

Exposure route: Skin contact

Possible health problems: Chronic effects

Exposure time: 1 d

Value: 206 mg/kg

End use: Consumers

Exposure route: Inhalation

Possible health problems: Chronic effects

Value: 114 mg/m<sup>3</sup>

End use: Consumers

Exposure route: Swallowing

Possible health problems: Chronic effects

Toxicity: 1 d

Value: 87 mg/kg

PNEC

Ethanol; ethyl alcohol

: freshwater

Value: 0,96 mg/l

Seawater

Value: 0,79 mg/l

Freshwater deposition

Value: 3,6 mg/kg

# Sasma

Premium Alcohol Suppliers

Soil  
Value: 0,63 mg/kg

## 8.2 Exposure control measures:

### Technical measures:

Make sure there is enough ventilation in the working area.

### Personal protective equipment:

**General protective and health measures:** Wash hands before every break and after work.

**Respiratory protection:** No respiratory protection needed with normal use. If the room is not well-ventilated, with strong odour or when damps are released use respiratory protection with filter type A or a combination filter that complies with EN 141.

**Protection of hands:** The materials of the gloves have to be impermeable and resistant to the product/ the substance/ the preparation/ the chemical mixture. Choose the glove material with consideration of the penetration times, rates of diffusion and the degradation.

### Material of gloves:

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and therefore has to be checked prior to the application.

### Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be taken into account.

### Eye protection:



Wear safety goggles.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties.

#### General Information:

##### Appearance:

Physical state at 20 °C:

Liquid

Colour:

Colourless, clear liquid.

Odour:

Characteristic (Alcoholic)

Odour threshold:

Not determined.

pH:

6 – 9 (depends on oxygen ingress).

State change:

Not determined

Melting point:

ca. -144 °C

Boiling point:

78,2 °C, 1.013hPa

Flash point:

12 °C ASTM D 56

Flammability (solid, gas):

Not determined

Ignition temperature:

425 °C

Decomposition temperature:

Not determined

# Sasma

Premium Alcohol Suppliers

Self ignition:	363°C
Danger of explosion:	Product is not an explosion hazard but it is possible that explosion hazardous vapour and air mixtures will form.
Explosion limits:	
Bottom:	3,5 vol %
Upper:	15,0 vol %
Vapour pressure at 20 °C:	58,5 hPa, 20 °C 78,7 hPa, 25°C
Density:	0,8 g/cm <sup>3</sup> at 20 °C 0,785 g/cm <sup>3</sup> at 25 °C
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility:	Fully miscible
Ratio coefficient N-octanol/water:	Not determined.
Viscosity	
Dynamic:	Not determined
Kinematic:	Not determined

**9.2 Other information** No further relevant information available.

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

### **10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possible hazardous reactions:** No dangerous reactions known.

**10.4 Conditions to avoid:** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

### **11.1 Information of toxicological effects**

#### **Components**

**Ethanol; Ethyl alcohol:**

**Acute oral toxicity:**

LD50:>2.000 mg/kg, rat, OECD test directive 401, GLP: no, (literature value)

**Acute toxicity with inhalation:**

LC50:> 20mg/l, 4 h, mouse, (literature value)

**Acute dermal toxicity:**

LD50:>2.000 mg/kg, rabbit, OECD test directive 402, GLP: no, (literature value)

**Skin corrosion/ irritation:**

Rabbit, result: non corrosive, OECD test directive 404, GLP, no (literature value)

**Serious eye injury/eye irritation:**

# Sasma

Premium Alcohol Suppliers

Rabbit, result: some irritation, OECD test directive 405, GLP, no (literature value)

**Sensibilisation of airways/skin:**

Maximalisation test, guinea pig, result: Not sensitizing, OECD test directive 406, GLP: yes, (literature value)

**Mutagenicity in gametes:**

**Genotoxicity in vitro**

Ames test, Salmonella typhimurium, with and without, result: non mutagen, OECD test directive 471, GLP: no, (literature value)

**Further information:**

No further relevant information.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Components**

**Ethanol; ethyl alcohol:**

**Toxicity for fish:**

LC50:> 100 mg/l, 48h, Leuciscus Idus, static test, OECD test directive 203, GLP: no, (literature value)

**Toxicity for daphnia's and other invertebrate aquatic animals:**

EC50:> 100 mg/l, 24h, Daphnia magna, static test, OECD test directive 202, GLP: yes, (literature value)

**Toxicity for algae:**

EC50:> 100 mg/l, Chlorella pyrenoidosa static test, OECD test directive 201, GLP: no, (literature value)

**12.2 Persistence and degradability**

**Components**

**Ethanol; ethyl alcohol:**

**Biological degradability:**

Aëroob,>70% Result: Easily biologically degradable, exposure time: 5d, OECD test directive 301 D, GLP: no, (literature value)

**12.3 Bioaccumulation:** No further relevant information.

**12.4 Mobility in soil:** No further relevant information.

**Additional ecological information:**

**General information:**

Water hazard class 1 (D) (Self classification): danger to water small.

Do not allow undiluted product or large quantities to reach ground water, surface water or sewage system. Water hazard class (NL) 11: Little damage to no damage to aquatic organisms.

**Results of PBT- en zPzB-assessment (BCF)**

**PBT:** Ethanol is not considered to be persistent, bioaccumulative, or toxic.

**zPzB:** Ethanol is not considered to be very persistent or very bioaccumulative.

**Other hazardous effects:** No further relevant information.



## **SECTION 13: Disposal considerations**

### **13.1 Disposal method:**

#### **Product:**

Product can be burned but it must be done according to official regulation.

#### **Uncleaned packaging:**

Contaminated packaging must be completely emptied. They can be recycled after cleaning.

## **SECTION 14: Transport information**

### **14.1 UN nummer**

ADR : 1170  
RID : 1170  
IMDG : 1170  
IATA : 1170

### **14.2 UN name**

ADR : Ethanol, Ethylalcohol, Ethylalcohol  
RID : Ethanol, Ethylalcohol, Ethylalcohol  
IMDG : Ethanol, Ethanol, Ethyl Alcohol  
IATA : Ethanol

### **14.3 Transport hazard class**

ADR : 3  
RID : 3  
IMDG : 3  
IATA : 3

### **14.4 Packing group**

**ADR**  
Packing Group : II  
Classification code : F1  
Hazard identification number : 33  
Etiketten : 3  
Tunnel restriction code : (D/E)

**RID**  
Packing Group : II  
Classification code : F1  
Hazard identification number : 33  
Labels : 3

**IMDG**  
Packing Group : II  
Labels : 3  
EMS number : F-E, S-D

**IATA**  
Packaging instructions : 307  
(freight plane)  
Packing group : II

Labels : 3

#### **14.5 Environmental hazards:**

##### **ADR**

Hazardous for environment : no

##### **IMDG**

Marine pollutant : no

##### **IATA**

Hazardous for environment : no

#### **14.6 Special precautions for user**

No further relevant information available.

#### **14.7 Transport in bulk according to annex II at MARPOL 73/78 and the IBC-code**

Pollution category: Z

### **SECTION 15: Regulatory information**

#### **15.1 Specific safety, health and environment regulations and – legislation for the substance or the mixture.**

##### **Regulatory information about hazard with heavy accidents:**

96/82/EC

Highly flammable

Amount 1: 5.000 t

Amount 2: 50.000 t

##### **Notification status**

EINECS : On or in compliance with the list

TSCA : On the TSCA-list

AUSTR : On or in compliance with the list

DSL : All components of this product are on the Canadese DSL list

ENCS : On or in compliance with the list

KOREA : On or in compliance with the list

PHIL : On or in compliance with the list

CHINA : On or in compliance with the list

ISHL : On or in compliance with the list

NZIOC : On or in compliance with the list

#### **15.2 Chemical safety assessment:**

A chemical safety assessment has been done for this product.

### **SECTION 16: Other information**

#### **Full R-phrases listed in section 2 and 3**

R11 Highly flammable

#### **Full H-phrases listed in paragraph 2 and 3**

H225 Highly flammable liquid and vapor



### **Further information**

#### Further information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The information presented above is believed to be accurate and represents the best information currently available to SASMA BV. SASMA BV makes no warranty, express or implied, with respect to such information, and assumes no liability resulting from its use. In no way shall SASMA BV be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages even if SASMA BV has been advised of the possibility of such damages.

SDS\_Ethyl Alcohol 95%vol. SASMA

Version 1.4