

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Eastman(TM) IBIB

Product No.: EAN 900945. P0210306

Synonyms, Trade Names: 02103-00

Additional identification

Chemical name: isobutyl isobutyrate
CAS-No.: 97-85-8

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Solvent

Uses advised against: None known.

Details of the supplier of the safety data sheet**Manufacturer / Supplier**

Eastman Chemical Company
200 South Wilcox Drive
Kingsport, TN 37660-5280 US
+14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard classification:**Physical hazards**

Flammable liquids Category 3

Health hazards

Specific target organ toxicity - single exposure Category 3

OSHA Specified Hazards: not applicable

Warning label items including precautionary statement:

Pictogram:



Signal words: WARNING!

Hazard Statement(s): H226: Flammable liquid and vapor.
H336: May cause drowsiness or dizziness.

Precautionary statement:

Prevention: P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233: Keep container tightly closed.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ventilating/lighting/equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P370 + 378: In case of fire: Use water spray, carbon dioxide, dry chemical or foam for extinction.
P303+P361+P353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312: Call a POISON CENTER or doctor/physician if you feel unwell.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P235: Keep cool.
P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None known.

SECTION 3: Composition/information on ingredients

Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
isobutyl isobutyrate	100%	CAS-No.: 97-85-8	#

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
This substance has workplace exposure limit(s).

SECTION 4: First aid measures

Description of first aid measures

Inhalation:	Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.
Skin contact:	Wash with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Ingestion:	Seek medical advice. Material is not expected to be absorbed from the gastrointestinal tract so that induction of vomiting should not be necessary.

Most important symptoms and effects, both acute and delayed: Narcotic effect.

Indication of any immediate medical attention and special treatment needed

Hazards:	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
Treatment:	Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards: Combustible liquid and vapor. USE WATER WITH CAUTION. Material will float and may ignite on surface of water.

Extinguishing media

Suitable extinguishing media: Water spray. Dry chemical. Carbon Dioxide. Foam.

Unsuitable extinguishing media: None known.

Special hazards arising from the substance or mixture: Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Forms peroxides of unknown stability. Elevated temperatures can cause decomposition.

Advice for firefighters

Special fire fighting procedures: Fight fire from a protected location. Water may be ineffective in fighting the fire. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Wear appropriate personal protective equipment.
Environmental precautions:	Avoid release to the environment.
Methods and material for containment and cleaning up:	Eliminate sources of ignition. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Large Spillages: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for later disposal.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

SECTION 7: Handling and storage:

Precautions for safe handling:	Avoid breathing high vapor concentrations. Avoid prolonged or repeated contact with skin. Use only with adequate ventilation. Wash thoroughly after handling. Minimize exposure to air. After opening, purge container with nitrogen before reclosing. Periodically test for peroxide formation on long-term storage. Do not allow to evaporate to near dryness. Do not distill to near dryness. Addition of water or appropriate reducing materials will lessen peroxide formation. Exercise caution if heating, especially in a closed container.
Conditions for safe storage, including any incompatibilities:	Keep container tightly closed. Store away from heat and light. Store in a cool place.
Specific end use(s):	Solvent

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Country specific exposure limits have not been established or are not applicable unless listed below.

Chemical name	Type	Exposure Limit values	Source
isobutyl isobutyrate	TWA	100 ppm	Eastman Chemical Company occupational exposure limit: (04 1987)

Exposure controls

Appropriate engineering controls:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
--	---

Individual protection measures, such as personal protective equipment

General information:	Eye bath. Washing facilities. Safety shower.
Eye/face protection:	It is a good industrial hygiene practice to minimize eye contact.
Skin protection	
Hand protection:	It is a good industrial hygiene practice to minimize skin contact. For operations where prolonged or repeated skin contact may occur, chemical-resistant gloves should be worn. Contact health and safety professional or manufacturer for specific information.
Other:	No data available.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Observe good industrial hygiene practices.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical State:	Liquid
Form:	Liquid
Color:	Colorless

Odor: Sweet

Odor Threshold: No data available.

pH: No data available.

Freezing Point: -81 °C

Boiling Point: 148 °C

Flash Point: 40 °C (Tag closed cup)

Evaporation Rate: 0.4

Flammability (solid, gas): No data available.

Flammability Limit - Upper (%)-: No data available.

Flammability Limit - Lower (%)-: No data available.

Vapor pressure: 4 hPa (20 °C)

Vapor density (air=1): 5

Specific Gravity: 0.852 (25 °C)

Solubility(ies)

Solubility in Water: < 0.1 g/l

Solubility (other): No data available.

Partition coefficient (n-octanol/water): Pow: 478.6 log Pow: 2.68

Autoignition Temperature:	432 °C (ASTM D2155)
Decomposition Temperature:	324.19 °C (DSC) 50 KJ/kg 380.13 °C (DSC) 293.2 KJ/kg
Dynamic Viscosity:	0.85 mPa.s (25 °C)
Kinematic viscosity:	1.030 mm ² /s (25 °C)
Explosive properties:	No data available.
Oxidizing properties:	No data available.

SECTION 10: Stability and reactivity

Reactivity:	May form peroxides of unknown stability.
Chemical stability:	Stable
Possibility of hazardous reactions:	Can decompose at elevated temperatures.
Conditions to avoid:	Heat, sparks, flames.
Incompatible materials:	Strong oxidizing agents.
Hazardous decomposition products:	Carbon Monoxide. Carbon Dioxide.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation:	High vapor concentrations may cause drowsiness.
Ingestion:	None known.
Skin contact:	Repeated exposure may cause skin dryness or cracking.
Eye contact:	None known.

Information on toxicological effects

Acute Toxicity

Oral

Product:	Oral LD-50: (Rat): 6,400 - 12,800 mg/kg Oral LD-50: (Mouse): 6,400 - 12,800 mg/kg
-----------------	--

Dermal

Product:	Dermal LD-50: (Rabbit): > 8,600 mg/kg
-----------------	---------------------------------------

Inhalation

Product:	LC50 (Rat, 4 h): 48.18 mg/l
-----------------	-----------------------------

Repeated dose toxicity

Product:	No data available.
-----------------	--------------------

Specified substance(s)

isobutyl isobutyrate	No data available.
----------------------	--------------------

Skin corrosion/irritation:

Product: (Guinea Pig, 24 h): Slight

Serious eye damage/eye irritation:

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Respiratory or skin sensitization:

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Mutagenicity

In vitro

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

In vivo

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Carcinogenicity

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Specific target organ toxicity - single exposure

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Specific target organ toxicity - repeated exposure

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Aspiration hazard

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Other adverse effects: No data available.

SECTION 12: Ecological information

Toxicity

Acute toxicity

Fish

Product: LC-50 (Fathead Minnow, 96 h): 12.54 mg/l

Aquatic invertebrates

Product: EC-50 (Water Flea, 48 h): 55.8 mg/l

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

isobutyl isobutyrate No data available.

Aquatic invertebrates

Product: No data available.

Specified substance(s)

isobutyl isobutyrate No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

isobutyl isobutyrate No data available.

Persistence and degradability

Biodegradation

Product: 42 % (28 d)

Biological Oxygen Demand:

Product: No data available.

Specified substance(s)

isobutyl isobutyrate No data available.

Chemical Oxygen Demand:

Product: No data available.

Specified substance(s)

isobutyl isobutyrate No data available.

BOD/COD ratio

Product: No data available.

Specified substance(s)

isobutyl isobutyrate No data available.

Bioaccumulative potential

Product: No data available.

Specified substance(s)
isobutyl isobutyrate No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

isobutyl isobutyrate No data available.

Results of PBT and vPvB assessment: No data available.

isobutyl isobutyrate No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Waste treatment methods

General information: No data available.

Disposal methods: Dispose of waste and residues in accordance with local authority requirements. Mix with compatible chemical which is less flammable and incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near this container.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class combustible liquid, Packing group III for quantities of 450 liters (119 gallons) or more; not regulated for smaller quantities

Possible Shipping Description(s):

not regulated

UN 2528 Isobutyl Isobutyrate combustible liquid III

IMDG - International Maritime Dangerous Goods Code

Possible Shipping Description(s):

UN 2528 ISOBUTYL ISOBUTYRATE 3 III

IATA

Possible Shipping Description(s):

UN 2528 Isobutyl isobutyrate 3 III

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: controlled

WHMIS (Canada) Hazard Classification: B/3

SARA 311-312 Hazard Classification(s):

fire hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

NONE

OSHA: hazardous

TSCA (US Toxic Substances Control Act): This product is listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): This product is listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): This product is listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): This product is listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): This product is listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.KE-24890

Philippines Inventory (PICCS) : This product is listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

SECTION 16: Other information

HMIS® Hazard Ratings: Health - 1, Flammability - 2, Chemical Reactivity - 1

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information: New SDS

Key literature references and sources for data: No data available.

Training information: No data available.

Issue date: 11/03/2014

SDS No.:

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.