

SAFETY DATA SHEET



Date Prepared : 2/27/2015
SDS No : TCOL BP-1715

T*COL BP-1715

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: T*COL BP-1715

PRODUCT DESCRIPTION: Polypropylene Glycol Monobutyl Ether

MANUFACTURER

Trico Technologies, Inc.
209 Ambrogio Drive
Gurnee, IL 60031

Emergency Phone: (847) 662-9224

24 HR. EMERGENCY TELEPHONE NUMBERS

847-662-9224

2. HAZARDS IDENTIFICATION

GHS LABEL



Exclamation
mark

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H320: Causes eye irritation.

H313: May cause mild skin irritation.

PRECAUTIONARY STATEMENTS

Prevention:

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Poly[oxy(methyl-1,2-ethandiyl)], Alpha-butyl-omega-hydroxy-	> 99	9003-13-8

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get medical attention, if irritation persists.

SKIN: Remove all contaminated clothing. Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek

SAFETY DATA SHEET



Date Prepared : 2/27/2015
SDS No : TCOL BP-1715

T*COL BP-1715

immediate medical attention.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Overexposure causes excessive watering, redness and stinging.

SKIN: Overexposure may cause itching and redness similar to a rash.

INGESTION: Overexposure may cause gastrointestinal irritation, diarrhea, nausea and vomiting.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Alcohol foam, carbon dioxide, dry chemical or water spray.

FIRE FIGHTING EQUIPMENT: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain material by diking the area around the spill. If product is a solid form, shovel directly into recovery drums. If the product is a liquid, it should be picked up using suitable absorbant material, then shoveled into recovery drums.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Do not discharge into drains, groundwater or storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

HANDLING: No special requirements

STORAGE: Keep container tightly sealed and store in a dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Ensure adequate ventilation especially in confined areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: This chemical requires the use of chemical protective goggles that meet ANSI / ISEA Standards.

SKIN: This chemical requires the use of a chemical resistant glove that meet ANSI / ISEA Standards.

RESPIRATORY: The use of NIOSH approved respiratory protection maybe needed if working in a poor ventilated area.

WORK HYGIENIC PRACTICES: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

OTHER USE PRECAUTIONS: Eye-wash station recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Mild characteristic

APPEARANCE: Liquid

COLOR: Colorless to pale yellow

pH: 5 to 8 10% in IPA/water (10:6)

FLASH POINT AND METHOD: ~ 191°C (376°F) PMCC

FLAMMABLE LIMITS: No data available.

AUTOIGNITION TEMPERATURE: No data available.

VAPOR PRESSURE: < 0.01 mmHg at 25°C

VAPOR DENSITY: > 1

BOILING POINT: 200°C (392°F)

FREEZING POINT: ~ -23°C

SAFETY DATA SHEET



Date Prepared : 2/27/2015
SDS No : TCOL BP-1715

T*COL BP-1715

MELTING POINT: NA = Not Applicable
POUR POINT: No data available.
THERMAL DECOMPOSITION: > 200°C
SOLUBILITY IN WATER: Insoluble
EVAPORATION RATE: No data available.
SPECIFIC GRAVITY: 1 at 25°C
VISCOSITY #1: ~ 370 cSt at 40°C ASTM D 445
MOLECULAR WEIGHT: 2490 g/mol
(VOC): g/l
Notes: EPA Method no. 24
COEFF. OIL/WATER: No data available.

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur
STABILITY: Product is stable under ordinary conditions of use and storage.
INCOMPATIBLE MATERIALS: Avoid contact with strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

ACUTE

EYES: No data available.
DERMAL LD₅₀: > 20000 mg/kg (rabbit)
SKIN ABSORPTION: No data available.
ORAL LD₅₀: > 45000 mg/kg (Rat)
INHALATION LC₅₀: No data available.
EYE EFFECTS: Essentially nonirritating to the eyes.
SKIN EFFECTS: Long term exposure may cause irritation.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Based on stringent OECD guidelines this material cannot be considered as readily biodegradable.
ECOTOXICOLOGICAL INFORMATION: Material is slightly toxic to aquatic organisms on an acute basis.
BIOACCUMULATION/ACCUMULATION: Not expected to bioaccumulate in the environment
AQUATIC TOXICITY (ACUTE)
96-HOUR LC₅₀: > 180 mg/l Pimephales peomelas (fathead minnow) static test
48-HOUR EC₅₀: > 520 mg/l Daphnia magna (water flea) static test

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Consult local, state and federal regulations before disposing of this material.
EMPTY CONTAINER: Dispose of in a licensed facility.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

SAFETY DATA SHEET



Date Prepared : 2/27/2015
SDS No : TCOL BP-1715

T*COL BP-1715

PROPER SHIPPING NAME: Non-Regulated Material
AIR (ICAO/IATA)
SHIPPING NAME: Non-Regulated Material
VESSEL (IMO/IMDG)
SHIPPING NAME: Non-Regulated Material
MARINE POLLUTANT #1: No

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: NA = Not Applicable

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Poly[oxy(methyl-1,2-ethandiy)], Alpha-butyl-omega-hydroxy-	9003-13-8

TSCA STATUS: All the components of this material are listed in or exempt from the TSCA Inventory.

CALIFORNIA PROPOSITION 65: May contain the following components know in the State of California to cause cancer, birth defects, or other reproductive harm.

Listed above.

16. OTHER INFORMATION


APPROVED BY: PEC

PREPARED BY: PEC **Date Prepared:** 2/27/2015

HMIS RATING

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

NFPA CODES



MANUFACTURER DISCLAIMER:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Trico Technologies, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Trico Technologies, Inc. has been advised of the possibility of such damages.