

Version 4.0 Revision Date 02/02/2016

SDS Number 300000021259 Print Date 02/03/2016

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: TOMADOL ® 900 SURFACTANT

**Product Use Description** 

: Surfactant

Manufacturer/Importer/Distribu

: Air Products and Chemicals, Inc

tor

7201 Hamilton Blvd.

Allentown, PA 18195-1501 GST No. 123600835 RT0001 QST No. 102753981 TQ0001

Telephone

: 1-610-481-4911 Corporate

1-800-345-3148 Chemicals Cust Serv

1-800-752-1597 Gases/Electronics Cust Serv

Emergency telephone number

: 800-523-9374 USA

(24h)

+1 610 481 7711 International

### 2. HAZARDS IDENTIFICATION

**GHS** classification

Serious Eye Damage -

Category 1

GHS label elements

Hazard pictograms/symbols



Signal Word: Danger

**Hazard Statements:** 

H318:Causes serious eye damage.

**Precautionary Statements:** 

Prevention

: P280:Wear eye protection/face protection.

Version 4.0 Revision Date 02/02/2016

SDS Number 300000021259 Print Date 02/03/2016

Response

: P305+P351+P338 :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 :Immediately call a POISON CENTRE/doctor.

#### Hazards not otherwise classified

Severe eye irritant. Moderate respiratory irritant. Moderate skin irritant. Risk of serious damage to eyes.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (Weight)
Alcohols, C9-11, ethoxylated	68439-46-3	60% - 100 %

CHEMICAL FAMILY: Ethoxylated Alcohol The remaining components are trade secret.

## 4. FIRST AID MEASURES

General advice : Seek medical advice. If breathing has stopped or is labored, give assisted

respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.

Eye contact : Rinse immediately with plenty of water also under the eyelids for at least 20

minutes. Remove contact lenses.

Skin contact : Wash off immediately with plenty of water for at least 20 minutes. Immediately

remove contaminated clothing, and any extraneous chemical, if possible to do

so without delay.

Ingestion : Never give anything by mouth to an unconscious person. If a person vomits

when lying on his back, place him in the recovery position. Prevent aspiration of

vomit. Turn victim's head to the side.

Inhalation : If breathing has stopped or is labored, give assisted respirations. Supplemental

oxygen may be indicated. If the heart has stopped, trained personnel should

begin cardiopulmonary resuscitation immediately. Move to fresh air.

Most important

symptoms/effects - acute and

delayed

Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat. Eye disease. Asthma. Skin disorders and

Allergies.

### 5. FIRE-FIGHTING MEASURES

Version 4.0 Revision Date 02/02/2016

SDS Number 300000021259 Print Date 02/03/2016

Suitable extinguishing media

: Alcohol-resistant foam.

Carbon dioxide (CO2). Dry chemical. Dry sand.

Limestone powder.

Specific hazards

: Incomplete combustion may form carbon monoxide. Burning produces noxious

and toxic fumes. Downwind personnel must be evacuated.

Special protective equipment

for fire-fighters

Use personal protective equipment. Wear self contained breathing apparatus

for fire fighting if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures : Wear suitable protective clothing, gloves and eye/face protection. Use self-contained breathing apparatus and chemically protective clothing. Evacuate

personnel to safe areas.

Environmental precautions

: Construct a dike to prevent spreading.

Methods for cleaning up

: Contact Air Products' Emergency Response Center for advice. Approach suspected leak areas with caution. Place in appropriate chemical waste

container.

Additional advice

: Open enclosed spaces to outside atmosphere. If possible, stop flow of product.

## 7. HANDLING AND STORAGE

#### Handling

Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Use only in well-ventilated areas. Avoid contact with eyes. Avoid breathing vapors and/or aerosols. Use personal protective equipment. When using, do not eat, drink or smoke.

#### Storage

Keep away from direct sunlight. Overheating of an ethoxylate stored under air should be avoided. When an ethoxylate is vigorously mixed in the presence of air or oxygen at temperatures >125 F (50 C), it can degrade product quality. Storage under an inert atmosphere is recommended. Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage Temperature

: 45 - 100 °F (7.22 - 37.77 °C)

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Engineering measures**

Provide readily accessible eye wash stations and safety showers.

Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.

Version 4.0 Revision Date 02/02/2016

SDS Number 300000021259 Print Date 02/03/2016

## Personal protective equipment

Respiratory protection

: Wear appropriate respirator when ventilation is inadequate.

Hand protection

Neoprene gloves.

Nitrile rubber.

Polyvinyl Alcohol Gloves (PVA).

Impervious gloves.

Chemical-resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

Eye protection

: Chemical resistant goggles must be worn.

Skin and body protection

: Long sleeve shirts and trousers without cuffs.

Special instructions for protection and hygiene

: Wash hands at the end of each workshift and before eating, smoking or using the toilet. Provide readily accessible eye wash stations and safety showers.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

: Liquid. Hazy.

Odor

: Mild.

Odor threshold

: No data available.

pΗ

: 6.5

Melting point/range

: 36 - 59 °F (2.22 - 15 °C)

Boiling point/range

: > 491 °F (> 255 °C)

Flash point

: 306 °F (152.2 °C)

Evaporation rate

: No data available.

Flammability (solid, gas)

: Not applicable.

Upper/lower

explosion/flammability limit

: Not applicable.

Vapor pressure

: No data available.

Water solubility

Slightly soluble.

Version 4.0 Revision Date 02/02/2016

SDS Number 300000021259 Print Date 02/03/2016

Relative vapor density

: Not applicable.

Relative density

: 0.981

Partition coefficient (n-

octanol/water)

: No data available.

Auto-ignition temperature

: No data available.

Decomposition temperature

: No data available.

Viscosity

Molecular Weight

50 mPa.s at 100 °F (37.77 °C) No data available.

## 10. STABILITY AND REACTIVITY

Chemical Stability

: Stable under normal conditions.

Conditions to avoid

: No data available.

Materials to avoid

: Reactive metals (e.g. sodium, calcium, zinc etc.).

Materials reactive with hydroxyl compounds.

Copper alloys Strong acids. Oxidizing agents.

Hazardous decomposition

products

: Carbon monoxide. Carbon dioxide (CO2).

Aldehydes

Flammable hydrocarbon fragments.

Possibility of hazardous

Reactions/Reactivity

No data available.

## 11. TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

Likely routes of exposure

Effects on Eye

: Severe eye irritation.

Effects on Skin

Causes skin irritation.

Inhalation Effects

May cause nose, throat, and lung irritation. Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system.

Ingestion Effects

: No data available.

**Symptoms** 

: Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat. Eye disease., Asthma., Skin disorders and

Version 4.0 Revision Date 02/02/2016

SDS Number 300000021259 Print Date 02/03/2016

Allergies.

Acute toxicity

**Acute Oral Toxicity** 

: LD50 : > 2,000 mg/kg Species : Rat.

Inhalation

: No data is available on the product itself.

**Acute Dermal Toxicity** 

: LD50 : 3,300 mg/kg Species : Rat.

Skin corrosion/irritation

: Skin irritation.

Serious eye damage/eye

irritation

: Severe eye irritation.

Sensitization.

: No data available.

Chronic toxicity or effects from long term exposures

Carcinogenicity

: No data available.

Reproductive toxicity

: No data is available on the product itself.

Germ cell mutagenicity

: No data is available on the product itself.

Specific target organ systemic

toxicity (single exposure)

: No data available.

Specific target organ systemic

toxicity (repeated exposure)

: No data available.

Aspiration hazard

: No data available.

Delayed and Immediate Effects and Chronic Effects from Short and Long Term Exposure

This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater. Eye disease., Asthma., Skin disorders and Allergies.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** 

Aquatic toxicity

: No data is available on the product itself.

Version 4.0 Revision Date 02/02/2016

SDS Number 300000021259 Print Date 02/03/2016

Toxicity to fish - Components Alcohols, C9-11, ethoxylated

LC50 (96 h): 1 - 10 mg/l

Species : Fathead

minnow (Pimephales

promelas).

Toxicity to daphnia - Components

Alcohols, C9-11, ethoxylated

EC50 (48 h): 1 - 10 mg/l

Species: Daphnia

Toxicity to algae - Components

Alcohols, C9-11, ethoxylated

ErC50 (96 h): 1 - 10 mg/l

Species: Algae.

Toxicity to other organisms

: No data available.

## Persistence and degradability

Biodegradability

: Readily biodegradable, as defined by OECD, substance that degrades > 60-

70% within a 10 day window over 28 days.

Mobility

: No data available.

Bioaccumulation

: No data is available on the product itself.

## 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused

products

: Contact supplier if guidance is required.

Contaminated packaging

: Dispose of container and unused contents in accordance with federal, state,

and local requirements.

### 14. TRANSPORT INFORMATION

#### DOT

Not dangerous goods

#### IATA

Not dangerous goods

#### **IMDG**

Not dangerous goods

Version 4.0 Revision Date 02/02/2016 SDS Number 300000021259 Print Date 02/03/2016

### **TDG**

Not dangerous goods

### **Further Information**

Not classified as dangerous in the meaning of transport regulations. The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact an Air Products customer service representative.

### 15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) 12(b) Component(s):

None.

Country	Regulatory list	Notification
USA	TSCA	Included on Inventory.
EU	EINECS	Not on Inventory.
Canada	DSL	Included on Inventory.
Australia	AICS	Included on Inventory.
Japan	ENCS	Included on Inventory.
South Korea	ECL	Included on Inventory.
China	SEPA	Included on Inventory.
Philippines	PICCS	Included on Inventory.

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification Acute Health Hazard

EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level None.

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65) This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other

This product meets the criteria of the US EPA Design for Environment (DfE) Surfactant screen and is listed on CleanGredients.

### 16. OTHER INFORMATION

**HMIS Rating** 

: 2 Health

Flammability : 1

Version 4.0 Revision Date 02/02/2016 SDS Number 300000021259 Print Date 02/03/2016

Physical hazard

: 0

**REVISION NOTES** 

: 3. HAZARDS IDENTIFICATION

11. TOXICOLOGICAL INFORMATION

Prepared by

: Air Products and Chemicals, Inc. Global EH&S Product Safety Department

Telephone

: 1-610-481-4911 Corporate

1-800-345-3148 Chemicals Cust Serv

1-800-752-1597 Gases/Electronics Cust Serv

**Preparation Date** 

: 02/03/2016

For additional information, please visit our Product Stewardship web site at http://www.airproducts.com/productstewardship/