

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TOMAMINE® ACID THICKENER SURFACTANT

Product Use Description : Surfactant

Manufacturer/Importer/Distributor : Air Products and Chemicals, Inc  
7201 Hamilton Blvd.  
Allentown, PA 18195-1501  
GST No. 123600835 RT0001  
QST No. 102753981 TQ0001Telephone : 1-610-481-4911 Corporate  
1-800-345-3148 Chemicals Cust Serv  
1-800-752-1597 Gases/Electronics Cust ServEmergency telephone number (24h) : 800-523-9374 USA  
+1 610 481 7711 International

## 2. HAZARDS IDENTIFICATION

### GHS classification

Flammable liquids - Category 4  
Acute toxicity - Oral Category 4  
Skin corrosion - Category 1B  
Serious Eye Damage - Category 1

### GHS label elements

#### Hazard pictograms/symbols



Signal Word: Danger

#### Hazard Statements:

H227: Combustible liquid  
H302: Harmful if swallowed.

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

H314:Causes severe skin burns and eye damage.

## Precautionary Statements:

- Prevention : P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P264:Wash hands thoroughly after handling.  
P270:Do not eat, drink or smoke when using this product.  
P280:Wear protective gloves/protective clothing/eye protection/face protection.
- Response : P301+P312 :IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P301+P330+P331 :IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 :IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 :IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 :Immediately call a POISON CENTRE or doctor/physician.  
P363 :Wash contaminated clothing before reuse.  
P370+P378 :In case of fire, use recommended extinguishing media for extinction.
- Storage : P403+P235:Store in a well-ventilated place. Keep cool.  
P405:Store locked up.
- Disposal : P501:Disposal of contents/container to be specified in accordance with regulations.

## Hazards not otherwise classified

Harmful if swallowed.

Corrosive

Keep away from heat and sources of ignition.

Combustible Liquid.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (Weight)
Amines, Tallow Alkyl, Ethoxylated	61791-26-2	50% - 80 %
Amines, N-tallow alkyltrimethylenedi-, ethoxylated	61790-85-0	20% - 50 %

CHEMICAL FAMILY: Ethoxylated Amine

## 4. FIRST AID MEASURES

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

---

General advice	: Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.
Eye contact	: Hold eyelids apart, initiate and maintain gentle and continuous irrigation until the patient receives medical care. If medical care is not promptly available, continue to irrigate for one hour.
Skin contact	: Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay. Initiate and maintain continuous irrigation until the patient receives medical care. If medical care is not promptly available, continue to irrigate for one hour. Cover wound with sterile dressing.
Ingestion	: Do not induce vomiting without medical advice. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person. Prevent aspiration of vomit. Turn victim's head to the side.
Inhalation	: If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. Move to fresh air.
Most important symptoms/effects - acute and delayed	: Eye disease. Skin disorders and Allergies. Asthma.

---

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Dry sand. Limestone powder.
Specific hazards	: Incomplete combustion may form carbon monoxide. May generate ammonia gas. May generate toxic nitrogen oxide gases. Burning produces noxious and toxic fumes. In the event of fire, cool tanks with water spray. Downwind personnel must be evacuated. Fire or intense heat may cause violent rupture of packages. May form explosive mixtures in air.
Special protective equipment for fire-fighters	: Avoid contact with the skin. A face shield should be worn. Use personal protective equipment. Wear self contained breathing apparatus for fire fighting if necessary.
Further information	: Do not allow run-off from fire fighting to enter drains or water courses., Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## 6. ACCIDENTAL RELEASE MEASURES

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

---

Personal Precautions, Protective Equipment, and Emergency Procedures	: Wear suitable protective clothing, gloves and eye/face protection. Use self-contained breathing apparatus and chemically protective clothing. Remove all sources of ignition. Evacuate personnel to safe areas.
Environmental precautions	: Construct a dike to prevent spreading. Shut off or remove all ignition sources. Construct a dike to prevent spreading.
Methods for cleaning up	: Contact Air Products' Emergency Response Center for advice. Approach suspected leak areas with caution. Absorb with inert absorbent materials such as: Dry sand. Vermiculite. Activated charcoal. Place in appropriate chemical waste container.
Additional advice	: Open enclosed spaces to outside atmosphere. If possible, stop flow of product.

---

## 7. HANDLING AND STORAGE

### Handling

See "Flammable and Combustible Liquid Code" NFPA No. 30, National Fire Protection Association, Boston, MA. Use only in well-ventilated areas. Avoid breathing vapors and/or aerosols. Avoid contact with skin and eyes. Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Use personal protective equipment. When using, do not eat, drink or smoke.

### Storage

Do not store near acids. Keep containers tightly closed in a dry, cool and well-ventilated place. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat and sources of ignition. Keep in a dry, cool place. Keep away from oxidizers.

### Technical measures/Precautions

Keep away from open flames, hot surfaces and sources of ignition.

Storage Temperature : 50 °F (10 °C)

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Engineering measures

Apply process controls to ensure safe operating conditions. Assess potential flammability hazards based on flashpoint and potential ignition sources.  
Ensure adequate ventilation.  
Provide readily accessible eye wash stations and safety showers.  
Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.

### Personal protective equipment

Respiratory protection : Wear appropriate respirator when ventilation is inadequate.  
Hand protection : Neoprene gloves.  
Impervious gloves.

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

- Eye protection : Full face shield with goggles underneath.
- Skin and body protection : Impervious clothing.  
Full rubber suit (rain gear).  
Rubber or plastic boots.  
Slicker Suit.
- Environmental exposure controls : Construct a dike to prevent spreading. Shut off or remove all ignition sources.
- Special instructions for protection and hygiene : Discard contaminated leather articles. Provide readily accessible eye wash stations and safety showers. Wash hands at the end of each workshift and before eating, smoking or using the toilet. Provide readily accessible eye wash stations and safety showers.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Liquid. Amber.
- Odor : Ammoniacal.
- Odor threshold : No data available.
- pH : No data available.
- Melting point/range : No data available.
- Boiling point/range : > 1,911 °F (> 104,4 °C)
- Flash point : > 150 °F (> 65.56 °C)
- Evaporation rate : No data available.
- Flammability (solid, gas) : Not applicable.
- Upper/lower explosion/flammability limit : Not applicable.
- Vapor pressure : No data available.
- Water solubility : Insoluble.

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

---

Relative vapor density	: Not applicable.
Relative density	: 0.8709
Partition coefficient (n-octanol/water)	: No data available.
Auto-ignition temperature	: No data available.
Decomposition temperature	: No data available.
Viscosity	: 210 mPa.s at 68 °F (20 °C)
Molecular Weight	: No data available.

---

## 10. STABILITY AND REACTIVITY

Chemical Stability	: Stable under normal conditions.
Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: Organic acids (i.e. acetic acid, citric acid etc.). Mineral acids. Sodium hypochlorite. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. Oxidizing agents.
Hazardous decomposition products	: Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Nitrogen oxides (NO <sub>x</sub> ). Nitrogen oxide can react with water vapors to form corrosive nitric acid. Ammonia
Possibility of hazardous Reactions/Reactivity	: No data available.

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Likely routes of exposure

Effects on Eye	: Causes eye burns. May cause blindness.
Effects on Skin	: Causes skin burns.
Inhalation Effects	: Can cause severe eye, skin and respiratory tract burns. Risk of serious damage to the lungs (by inhalation). May cause nose, throat, and lung irritation. Inhalation of aerosol may cause irritation to the upper respiratory tract.
Ingestion Effects	: Harmful if swallowed. If ingested, severe burns of the mouth and throat, as well

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

as a danger of perforation of the oesophagus and the stomach.

Symptoms : No data available.

## Acute toxicity

Acute Oral Toxicity : LD50 : 1,000 - 2,000 mg/kg Species : Rat.

Inhalation : No data is available on the product itself.

Acute Dermal Toxicity : No data is available on the product itself.

Skin corrosion/irritation : No data available.

Serious eye damage/eye irritation : No data available.

Sensitization. : No data available.

## Chronic toxicity or effects from long term exposures

Carcinogenicity : No data available.

Reproductive toxicity : No data is available on the product itself.

Germ cell mutagenicity : No data is available on the product itself.

Specific target organ systemic toxicity (single exposure) : No data available.

Specific target organ systemic toxicity (repeated exposure) : No data available.

Aspiration hazard : No data available.

## Delayed and Immediate Effects and Chronic Effects from Short and Long Term Exposure

This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater. Eye disease., Skin disorders and Allergies., Asthma.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity effects

Aquatic toxicity : (96 h) : < 1 mg/l Species : Fish.

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

EC50 (48 h) : < 1 mg/l Species : Daphnia

Toxicity to other organisms : No data available.

## Persistence and degradability

Biodegradability : No data is available on the product itself.

Mobility : No data available.

Bioaccumulation : No data is available on the product itself.

---

## 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products : Contact supplier if guidance is required.

Contaminated packaging : Dispose of container and unused contents in accordance with federal, state, and local requirements.

---

## 14. TRANSPORT INFORMATION

### DOT

UN/ID No. : UN2735  
Proper shipping name : Amines, liquid, corrosive, n.o.s., (Amines, N-tallow alkyltrimethylenedi-, ethoxylated)  
Class or Division : 8  
Packing group : III  
Label(s) : 8  
Marine Pollutant : No

### IATA

UN/ID No. : UN2735  
Proper shipping name : Amines, liquid, corrosive, n.o.s., (Amines, N-tallow alkyltrimethylenedi-, ethoxylated)  
Class or Division : 8  
Packing group : III  
Label(s) : 8  
Marine Pollutant : Yes

\*\* NOTE: This product contains a substance that: 1) is regulated as a Marine Pollutant, or 2) meets the definition of toxic to the aquatic environment.

### IMDG



# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

UN/ID No. : UN2735  
Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S., (Amines, N-tallow alkyltrimethylenedi-, ethoxylated)  
Class or Division : 8  
Packing group : III  
Label(s) : 8  
Marine Pollutant : Yes

\*\* NOTE: This product contains a substance that: 1) is regulated as a Marine Pollutant, or 2) meets the definition of toxic to the aquatic environment.

## TDG

UN/ID No. : UN2735  
Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S., (Amines, N-tallow alkyltrimethylenedi-, ethoxylated)  
Class or Division : 8  
Packing group : III  
Label(s) : 8  
Marine Pollutant : Yes

\*\* NOTE: This product contains a substance that: 1) is regulated as a Marine Pollutant, or 2) meets the definition of toxic to the aquatic environment.

## Further Information

The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact an Air Products customer service representative.

## 15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) 12(b) Component(s):

None.

Country	Regulatory list	Notification
USA	TSCA	Included on Inventory.
EU	EINECS	Included on EINECS inventory or polymer substance, monomers included on EINECS inventory or no longer polymer.
Canada	DSL	Included on Inventory.
Australia	AICS	Included on Inventory.
Japan	ENCS	Included on Inventory.
South Korea	ECL	Included on Inventory.
China	SEPA	Included on Inventory.
Philippines	PICCS	Included on Inventory.

# Safety Data Sheet

Version 3.1

Revision Date 01/26/2015

SDS Number 300000021272

Print Date 11/07/2016

---

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification  
Acute Health Hazard Fire Hazard.

EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level  
None.

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)  
This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

---

## 16. OTHER INFORMATION

### HMIS Rating

Health : 3  
Flammability : 2  
Physical hazard : 0

Prepared by : Air Products and Chemicals, Inc. Global EH&S Product Safety Department

Telephone : 1-610-481-4911 Corporate  
1-800-345-3148 Chemicals Cust Serv  
1-800-752-1597 Gases/Electronics Cust Serv

Preparation Date : 11/07/2016

For additional information, please visit our Product Stewardship web site at  
<http://www.airproducts.com/productstewardship/>

---